

Iris Very Narrow

STD-000070-0011

Configured Product

CCT _____

2700K

Finish _____


Anodised Clear

Attachments _____

Straight Snoot

Mounting Method _____

Spring Clip



Compact adjustable recessed lighting fixture for Museum, Gallery and Retail displays.

Product Description

The Very Narrow Iris is an IP66 rated adjustable compact recessed and highly efficient fixture designed to provide precise illumination for Museum, Gallery and Retail applications.

With a dedicated Very Narrow beam angle.

Key Features

- Sustainable construction: made from recycled aluminium with a long-lasting anodised finish. Specialist finishes available on request.
- Advanced dimming options: DALI, 0-10V, DMX and Wireless dimming, down to 0.1%.
- High-performance lighting: up to 97 CRI LEDs.

Compliance



Technical

Supply Remote constant current LED driver required

Light source SL Star

Initial output 95CRI 2W 2.8Vf at 700mA

2700K · 179lm · 90lm/W

3000K · 192lm · 96lm/W

3500K · 204lm · 102lm/W

4000K · 219lm · 110lm/W

Light distribution Very Narrow 4.2°

Lumen maintenance L70 B50 >66,000 hours

Colour consistency 2 SDCM

Colour maintenance $\pm 0.017 \Delta u'v'$

IP rating IP66

Available tilt $\pm 25^\circ$

Cut out $\varnothing 64\text{mm}$

Weight 0.33kg

Service Commitment

