STOANE LIGHTING

EQUIPMENT DESIGN + MANUFACTURE

ZTA.70.Mains Track.Zoom.VN STD-000522-0001

Modular high-performance, mains track-mounted spotlight system, ideal for precise architectural lighting in Museums, Galleries, Retail and Workplace environments. Developed with long-term sustainability and reusability in mind, this spotlight achieves high technical performance without compromising environmental values.

Product Description

ZTA.70.Mains Track.Zoom.VN is constructed from extruded and precision-machined recycled aluminium, the spotlight features an anodised and powder-coated finish for enhanced durability and aesthetics. Compatible with 3circuit adapters for 120-277V Stucchi, Eutrac, Global Pulse, and other track systems, this spotlight includes integral dimming control gear.

The spotlight can accommodate up to two lens accessories and multiple attachments, making it highly customisable for various lighting needs.


It features a glass zoom optic offering an exceptionally narrow beam range of 9.5° to 57.7° providing precision illumination in sensitive or highly focused applications.

With CRI values up to 98 and output up to 11971m, it ensures high colour fidelity and excellent beam consistency.

Key Features

• Precision glass zoom optics: exceptionally narrow beam control from 9.5° to 57.7°, optimised for





STOANE LIGHTING

EQUIPMENT DESIGN + MANUFACTURE

ZTA.70.Mains Track.Zoom.VN STD-000522-0001

precise lighting tasks.
Sustainable by design:
constructed from recycled
aluminium and designed for
reusability and repair.
Outstanding colour performance:

up to 98 CRI, R9: 99, and excellent TM-30 scores.

Flexible mounting: designed for use with 3-circuit mains track systems across global standards.
Smooth adjustability: 363° pan and 130° tilt with lockable positioning.

• Full dimming capability: supports local dim, DALI, 0–10V, and Wireless dimming down to 0.1%.

• Accessory-ready: can accept up to two lens accessories and other optical attachments.

• Ceiling mounting only: for ceilingmounted mains track applications.

Download:

ZTA.70 zoom product broc hure

STOANE LIGHTING

EQUIPMENT DESIGN + MANUFACTURE

ZTA.70.Mains Track.Zoom.VN STD-000522-0001

Configured Product

Light source

6mm LES

CCT

Tuneable White sources available. Please contact us for more information.

2700K
CRI
SL90
Finish
Please contact us for custom finishing requirem
Matt Black
Frack adaptor colour
White
Dimming
Local Dim
Attachments
None
Secondary Lensing Accessories

Without accessories