STOANE LIGHTING

EQUIPMENT DESIGN + MANUFACTURE

ZTA.70.Surface.Zoom STD-000305-0021

Modular high-performance, surface mounted spotlight system, for interior architectural applications such as Museums, Galleries, Retail and Workplace environments. Engineered for exceptional durability, maintainability, remanufacturability, and recyclability, this spotlight sets a new standard for sustainable design.

Product Description

ZTA.70.Surface Zoom is constructed from extruded and precision-machined recycled aluminium, the spotlight features an anodised and powder-coated finish for enhanced durability and aesthetics.

Key Features

• Sustainable construction: made from recycled aluminium with a long-lasting anodised and powdercoated finish. Specialist finishes available on request.


Zoomable beam to allow easy and quick beam adjustment without the need for additional optics.
Versatile adjustment: 363° pan rotation and 130° tilt with a lockable spot.

• High-performance lighting: up to 98 CRI LEDs with interchangeable optical systems.

Customisable accessories: can house up to one lens accessory.
Advanced dimming options: DALI,
200 (an d) Minutes a dimension

0-10V, and Wireless dimming, down to 0.1%.







STOANE LIGHTING

EQUIPMENT DESIGN + MANUFACTURE

ZTA.70.Surface.Zoom STD-000305-0021

Configured Product

Light source

9.8mm LES

CCT

Tuneable White sources available. Please contact us for more information.

| 2700K |
|---|
| CRI |
| 90 |
| Supply |
| Constant Current |
| Finish |
| Please contact us for custom finishing requirements |
| Matt Black |
| Dimming |
| Driver specific |
| Attachments |

None

Cable route

"Flying Lead" is cable exit through rear of lamp tube.

Through Base

Cable Length

500mm

Secondary Lensing Accessories

Without accessories