

## Mushroom

STD-000411-0074

### Configured Product

Length \_\_\_\_\_

305mm

Finish \_\_\_\_\_

XAL Classic 34 Bronze

Mushroom Type \_\_\_\_\_

Desert Spike

No. of Circuits \_\_\_\_\_

One (single Colour)

Circuit 1 CCT \_\_\_\_\_

2700K

Circuit 2 CRI \_\_\_\_\_


N/A

Circuit 2 CCT \_\_\_\_\_

N/A

Circuit 1 CRI \_\_\_\_\_

Custom



Exterior landscape accent lighting system, designed for both soft and hard landscaping applications, it can be used both in ground and on tabletops.

#### Product Description

The Mushroom is an IP66 rated exterior accent light, designed to provide a soft, low level, wide and 360° lighting distribution via a customised impact resistant frosted diffuser system, providing a BUG rating of B0 U0 G0. Both spike and fixed mount plates available.

Machined from recycled aluminium with an anodised and powder-coated finish for enhanced durability.

#### Key Features

- Sustainable construction: made from recycled aluminium with a weather resistant long-lasting anodised and powder-coated finish. Specialist finishes available on request.
- Advanced dimming options: DALI, 0-10V, DMX and Wireless dimming, down to 0.1%.
- High-performance lighting: up to 97 CRI LEDs.
- Tuneable White and special SPD LEDs such as Reds or PC Amber are available on request.
- Ground spike and fixed mount plate options available for soft and hard landscaping applications.



## Compliance



## Technical

**Supply** Remote constant current LED driver required

**Light source** SL Star

**Initial output** 95 CRI 8.4W 16.5Vf at  
500mA

2700K • 834lm • 99lm/W  
3000K • 888lm • 105lm/W  
3500K • 948lm • 112lm/W  
4000K • 1014lm • 120lm/W

**Light distribution** Downward distribution 100.7°

**Lumen maintenance** L70 B50 >66,000 hours

**Colour consistency** 2 SDCM

**Colour maintenance**  $\pm 0.007 \Delta u'v'$

**IP rating** IP66

**Weight** 0.825kg

**STOANE LIGHTING**

EQUIPMENT DESIGN + MANUFACTURE

**Mushroom**

STD-000411-0074

---

## Service Commitment

