STOANE
LIGHTING

Iris Very Narrow

STD-000070-0015

Configured Product

CCT

2200K

Finish

Anodised Clear

Attachments

Straight Snoot

Mounting Method


Spring Clip

STOANE LIGHTING

Iris Very Narrow

STD-000070-0015





Compact adjustable recessed lighting fixture for Museum, Gallery and Retail displays.

Product Description
The Very Narrow Iris is an IP66 rated adjustable compact recessed and highly efficient fixture designed to provide precise illumination for Museum, Gallery and Retail applications.
With a dedicated Very Narrow beam angle.

Key Features
• Sustainable construction: made from recycled aluminium with a long-lasting anodised finish. Specialist finishes available on request.
• Advanced dimming options: DALI, 0-10V, DMX and Wireless dimming, down to 0.1%.
• High-performance lighting: up to 97 CRI LEDs.

Compliance

UK CA CE

STOANE LIGHTING

Iris Very Narrow

STD-000070-0015

Technical

Supply	Remote constant current LED driver required
Light source	SL Star
Initial output	2W 2.9Vf at 700mA **80CRI** 2200K • 150lm • 71lm/W **90CRI** 2400K • 210lm • 105lm/W **95CRI** 2700K • 167lm • 82lm/W 3000K • 177lm • 87lm/W 3500K • 187lm • 92lm/W 4000K • 197lm • 97lm/W
Light distribution	Very Narrow 3.5°
Lumen maintenance	L70 B50 >66,000 hours
Colour consistency	2 SDCM
Colour maintenance	± 0.017 Δu'v'
IP rating	IP66
Available tilt	±25°
Cut out	Ø64mm
Weight	0.33kg

STOANE
LIGHTING

Iris Very Narrow

STD-000070-0015

Service Commitment



