

## Surf Type S

STD-000001-0072

### Configured Product

CCT \_\_\_\_\_

2700K

Beam \_\_\_\_\_


Narrow 15.7°

Finish \_\_\_\_\_

Anodised Clear

Cable route \_\_\_\_\_

Flying Lead



NOTE THAT NARROW/VERY NARROW OPTIC VERSION IS SUPPLIED WITH A Ø19mm BEZEL. CLICK 'IMAGES+DRAWINGS' TAB FOR MORE DETAILS

Miniature lighting fixture for Museum, Gallery and Retail displays.

## Product Description

The Surf Type S is a compact adjustable and highly efficient miniature fixture designed to provide precise illumination for Museum, Gallery and Retail applications.

Constructed from precision-machined recycled aluminium, the system features an anodised finish for enhanced durability and aesthetics.

## Key Features

- Sustainable construction: made from recycled aluminium with a long-lasting anodised finish. Specialist finishes available on request.
- Fixed interchangeable optics available ranging from Very narrow to Wide Flood to elliptical beam options.
- Lockable tilt and pan mechanisms.
- Advanced dimming options: DALI, 0-10V, DMX and Wireless dimming, down to 0.1%.
- High-performance lighting: up to 97 CRI LEDs



**STOANE LIGHTING**

EQUIPMENT DESIGN + MANUFACTURE

Surf Type S

STD-000001-0072

Compliance



## Technical

**Supply** Remote constant current LED driver required

**Light source** SL Type S

**Initial output** 95 CRI 1.4W 2.75Vf at  
500mA  
  
2700K · 139lm · 99lm/W  
3000K · 148lm · 105lm/W  
3500K · 158lm · 112lm/W  
4000K · 169lm · 120lm/W

**Light distribution** Very Narrow 12.5°  
Narrow 15.7°  
Medium 22.3°  
Flood 40°  
Wide Flood 54°  
Elliptical 19.8° x 33.9°

**Lumen maintenance** L70 B50 >66,000 hours

**Colour consistency** 2 SDCM

**Colour maintenance**  $\pm 0.007 \Delta u'v'$

**IP rating** IP20

**Weight** 0.034kg

## Service Commitment

