

Module Star

STD-000019-0003

Configured Product

CCT _____

3000K

Beam _____


TBC

Finish _____

TBC

Mounting Method _____

Mounting TBC



Compact recessed fixed focus module, for enhancing both interior and exterior architectural details. Capable of recessing into walls, ceilings and furniture.

Product Description

The Module Star is an IP66 rated fixed module, suitable for recessing into walls, ceiling or furniture, it can also be integrated into various architectural and lighting details via an M3 Stud or magnet.

Key Features

- Sustainable construction: made from recycled aluminium with a long-lasting anodised finish. Specialist finishes available on request. Includes toughened glass lens.
- Interchangeable optics to allow Narrow to Wide Flood to elliptical beam options.
- Advanced dimming options: DALI, 0-10V, and Wireless dimming, down to 0.1%.
- High-performance lighting: up to 97 CRI LEDs.

**Compliance**

Technical

Supply	Remote constant current LED driver required
Light source	SL Star
Initial output	95CRI 2W 2.8Vf at 700mA
	2700K · 179lm · 90lm/W
	3000K · 192lm · 96lm/W
	3500K · 204lm · 102lm/W
	4000K · 219lm · 110lm/W
Light distribution	Very Narrow 8.5°
	Narrow 12°
	Medium 21.8°
	Flood 38.1°
	Wide Flood 59.5°
	Elliptical 10.2° x 47.2°
Lumen maintenance	L70 B50 >66,000 hours
Colour consistency	2 SDCM
Colour maintenance	± 0.007 Δu'v'
IP rating	IP66
Weight	0.04kg

Service Commitment

