STOANE LIGHTING

EQUIPMENT DESIGN + MANUFACTURE

Surf S Stick

STD-000021-0038

Configured Product

CCT

2700K

Beam

Narrow 16°

Length

110mm

Finish

Anodised Clear

Attachments

Extended Snoot

Secondary Lensing Accessories

Without accessories

STOANE LIGHTING

EQUIPMENT DESIGN + MANUFACTURE

Surf S Stick

STD-000021-0038



Miniature lighting fixture for Museum, Gallery and Retail displays.

Product Description

The Surf S Stick is a compact adjustable and highly efficient miniature fixture designed to provide precise illumination for Museum, Gallery and Retail applications.
The stem length can be specified to order with both pan and tilt locking mechanisms.
Constructed from precision-machined recycled aluminium, the system features an anodised finish for enhanced durability and aesthetics.

Key Features

• Sustainable construction: made from recycled aluminium with a long-lasting anodised finish. Specialist finishes available on request.
• Fixed interchangeable optics available ranging from Very narrow to Wide Flood to elliptical beam options.
• Height specifiable stem length.
• Lockable Tilt and Pan mechanisms.
• Advanced dimming options: DALI, 0-10V, DMX and Wireless dimming, down to 0.1%.
• High-performance lighting: Up to 97 CRI LEDs

STOANE LIGHTING

EQUIPMENT DESIGN + MANUFACTURE

Surf S Stick

STD-000021-0038

Compliance

UK CA CE

c ETL US LISTED Intertek

STOANE LIGHTING

EQUIPMENT DESIGN + MANUFACTURE

Surf S Stick

STD-000021-0038

Technical

Supply	Remote constant current LED driver required
Light source	SL Type S
Initial output	**95 CRI** 1.4W 2.8Vf at 500mA 2700K • 125lm • 82lm/W 3000K • 133lm • 94lm/W 3500K • 140lm • 99lm/W 4000K • 148lm • 104lm/W
Light distribution	Very Narrow 13.9° Narrow 16° Medium 19.5° Flood 34.8° Wide Flood 50.4° Elliptica l 13.5° x 33.8°
Lumen maintenance	L70 B50 >66,000 hours
Colour consistency	2 SDCM
Colour maintenance	± 0.007 Δu'v'
IP rating	IP20
Weight	0.056kg

STOANE LIGHTING

EQUIPMENT DESIGN + MANUFACTURE

Surf S Stick

STD-000021-0038

Service Commitment