STOANE
LIGHTING

# Interior LED Channel

STD-000022-0058

## Configured Product

LED

SL G3.2 Strip Standard Output

CCT

2700K

Length

Length:

Finish

Anodised Black

Mounting Method

Mount tab

Diffuser


Frosted

STOANE LIGHTING

# Interior LED Channel

STD-000022-0058






Linear lighting system, typically for accent lighting and integration into interior architectural details.

**Product Description**
This Interior LED channel is a low-profile system designed for indirect high level cove lighting and integration into joinery and furniture providing a seamless lighting effect that enhances architectural details.
The innovative extrusion design allows for ease of installation and the product can be offered with either a frosted diffuser with a soft glow effect, or a clear cover for higher output applications.
Custom glare baffles and clamping system options available on request.
Extruded from recycled aluminium with an anodised finish for enhanced durability.

**Key Features**
• Sustainable construction: made from recycled aluminium.
• Innovative mounting system allowing for ease of installation and maintenance.
• High and lower output options available with a custom frosted diffuser for a soft lit effect or clear cover for higher output applications.
• Advanced dimming options: DALI, 0-10V, DMX and Wireless dimming, down to 0.1%.
• High-performance lighting: up to 90 CRI LEDs.



STOANE LIGHTING

# Interior LED Channel

STD-000022-0058

## Compliance

UK CA CE

---

## Service Commitment

ReNew

5 Year Warranty
25 Year Duty of Care

---

## Technical

| | | |
|---|---|---|
| Light Source | Standard Output LED Strip<br>90 CRI<br>1496lm/m initial output at 3000K<br>89lm/W | High Output LED Strip<br>90 CRI<br>2702lm/m initial output at 3000K<br>86.6lm/W |
| Light Distribution | Clear cover 103.4° x 115.1°<br>Diffuser 112.4° x 110.6° | |