

Mini Module

STD-000037-0018

Configured Product

CCT _____

2700K

Beam _____


TBC

Finish _____

Anodised Black

Mounting Method _____

Mounting TBC





Miniature recessed fixed focus module, for enhancing both interior and exterior architectural details. Capable of recessing into walls, ceilings and furniture.

Product Description

The Mini Module is a miniature IP65 rated fixed module, suitable for recessing into walls, ceiling or furniture, it can also be integrated into various architectural and lighting details via an M3 Stud or magnet.

Key Features

- Sustainable Construction: Made from recycled aluminium with a long-lasting anodised finish. Specialist finishes available on request. Includes toughened glass lens.
- Interchangeable optics to allow Medium to Wide Flood to elliptical beam options.
- Advanced Dimming Options: DALI, 0-10V, and Wireless dimming, down to 0.1%.
- High-Performance Lighting: Up to 97 CRI LEDs.



Compliance



Technical

| | |
|--------------------|---|
| Supply | Remote constant current LED driver required |
| Light source | SL Type S |
| Initial output | 95 CRI 1.4W 2.75Vf at 500mA 2700K · 139lm · 99lm/W 3000K · 148lm · 105lm/W 3500K · 158lm · 112lm/W 4000K · 169lm · 120lm/W |
| Light distribution | Medium 22.9° Flood 35.2° Wide Flood 50.7° Elliptical 21.7° x 33.3° |
| Lumen maintenance | L70 B50 >66,000 hours |
| Colour consistency | 2 SDCM |
| Colour maintenance | ± 0.007 Δu'v' |
| IP rating | IP65 |
| Weight | 0.02kg |

Service Commitment

