STOANE
LIGHTING

Plug-In Surf S Head

STD-000055-0006

Configured Product

CCT

TBC

Beam

TBC

Finish


TBC

STOANE LIGHTING

Plug-In Surf S Head

STD-000055-0006






Miniature plug in lighting fixture for Museum, Gallery and Retail displays. For use with our Surf S Tree and Plug-in Surf S Channel systems.

Plug-in Surf S Channelis a linear extrusion measuring 16.5mm x 16.5mm and can be surface mounted or recessed into architectural details, or showcases, horizontally or vertically. Surf S Treeis typically surface mounted standing vertically within sealed showcases.

Product Description
The Plug-in Surf S Head is a compact adjustable and highly efficient miniature fixture designed to provide precise illumination for Museum, Gallery and Retail applications.
Constructed from precision-machined recycled aluminium, the system features an anodised finish for enhanced durability and aesthetics.

Key Features
• Sustainable construction: made from recycled aluminium with a long-lasting anodised finish. Specialist finishes available on request.
• Fixed interchangeable optics available ranging from Very narrow to Wide Flood to elliptical beam options.
• Lockable Tilt and Pan mechanisms.
• Advanced dimming options: DALI, 0-10V, DMX and Wireless dimming, down to 0.1%.
• High-performance lighting: up to 97 CRI LEDs







STOANE
LIGHTING

Plug-In Surf S Head

STD-000055-0006

Compliance

UK CA CE

STOANE LIGHTING

Plug-In Surf S Head

STD-000055-0006

Technical

Supply	Remote constant current LED driver required
Light source	SL Type S
Initial output	1.4W 2.8Vf at 500mA **80 CRI** 2200K • 116lm • 77lm/W **90 CRI** 2400K • 157lm • 115lm/W **95 CRI** 2700K • 125lm • 82lm/W 3000K • 133lm • 94lm/W 3500K • 140lm • 99lm/W 4000K • 148lm • 104lm/W
Light distribution	Very Narrow 13.9° Narrow 16° Medium 19.5° Flood 34.8° Wide Flood 50.4° Elliptical 13.5° x 33.8°
Lumen maintenance	L70 B50 >66,000 hours
Colour consistency	2 SDCM
Colour maintenance	± 0.007 Δu'v'
IP rating	IP20
Weight	0.034kg

STOANE
LIGHTING

Plug-In Surf S Head

STD-000055-0006

Service Commitment



