

## Iris Very Narrow

STD-000070-0002

### Configured Product

CCT \_\_\_\_\_

2700K

Finish \_\_\_\_\_


TBC

Attachments \_\_\_\_\_

Slash Cut Snoot

Mounting Method \_\_\_\_\_

Mounting TBC



Compact adjustable recessed lighting fixture for Museum, Gallery and Retail displays.

## Product Description

The Very Narrow Iris is an IP66 rated adjustable compact recessed and highly efficient fixture designed to provide precise illumination for Museum, Gallery and Retail applications.

With a dedicated Very Narrow beam angle.

## Key Features

- Sustainable construction: made from recycled aluminium with a long-lasting anodised finish. Specialist finishes available on request.
- Advanced dimming options: DALI, 0-10V, DMX and Wireless dimming, down to 0.1%.
- High-performance lighting: up to 97 CRI LEDs.

## Compliance



## Technical

Supply Remote constant current LED driver required

Light source SL Star

Initial output 95CRI 2W 2.8Vf at 700mA

2700K · 179lm · 90lm/W

3000K · 192lm · 96lm/W

3500K · 204lm · 102lm/W

4000K · 219lm · 110lm/W

Light distribution Very Narrow 4.2°

Lumen maintenance L70 B50 >66,000 hours

Colour consistency 2 SDCM

Colour maintenance  $\pm 0.017 \Delta u'v'$

IP rating IP66

Available tilt  $\pm 25^\circ$

Cut out  $\varnothing 64\text{mm}$

Weight 0.33kg

---

## Service Commitment

