

## Iris Very Narrow

STD-000070-0005

### Configured Product

CCT

3000K

Finish


Anodised Black

Attachments

None

Mounting Method

Spring Clip



Compact adjustable recessed lighting fixture for Museum, Gallery and Retail displays.

#### **Product Description**

The Very Narrow Iris is an IP66 rated adjustable compact recessed and highly efficient fixture designed to provide precise illumination for Museum, Gallery and Retail applications. With a dedicated Very Narrow beam angle.

#### **Key Features**

- Sustainable construction: made from recycled aluminium with a long-lasting anodised finish. Specialist finishes available on request.
- Advanced dimming options: DALI, 0-10V, DMX and Wireless dimming, down to 0.1%.
- High-performance lighting: up to 97 CRI LEDs.

#### **Compliance**



## Technical

Supply	Remote constant current LED driver required
Light source	SL Star
Initial output	95CRI 2W 2.8Vf at 700mA
	2700K · 179lm · 90lm/W
	3000K · 192lm · 96lm/W
	3500K · 204lm · 102lm/W
	4000K · 219lm · 110lm/W
Light distribution	Very Narrow 4.2°
Lumen maintenance	L70 B50 >66,000 hours
Colour consistency	2 SDCM
Colour maintenance	± 0.017 Δu'v'
IP rating	IP66
Available tilt	±25°
Cut out	Ø64mm
Weight	0.33kg

# Service Commitment

