

Iris Very Narrow

STD-000070-0010

Configured Product

CCT _____

3000K

Finish _____


Standard Painted

Attachments _____

None

Mounting Method _____

Mounting TBC



Compact adjustable recessed lighting fixture for Museum, Gallery and Retail displays.

Product Description

The Very Narrow Iris is an IP66 rated adjustable compact recessed and highly efficient fixture designed to provide precise illumination for Museum, Gallery and Retail applications. With a dedicated Very Narrow beam angle.

Key Features

- Sustainable construction: made from recycled aluminium with a long-lasting anodised finish. Specialist finishes available on request.
- Advanced dimming options: DALI, 0-10V, DMX and Wireless dimming, down to 0.1%.
- High-performance lighting: up to 97 CRI LEDs.

Compliance



Technical

Supply	Remote constant current LED driver required
Light source	SL Star
Initial output	95CRI 2W 2.8Vf at 700mA
	2700K · 179lm · 90lm/W
	3000K · 192lm · 96lm/W
	3500K · 204lm · 102lm/W
	4000K · 219lm · 110lm/W
Light distribution	Very Narrow 4.2°
Lumen maintenance	L70 B50 >66,000 hours
Colour consistency	2 SDCM
Colour maintenance	± 0.017 Δu'v'
IP rating	IP66
Available tilt	±25°
Cut out	Ø64mm
Weight	0.33kg

Service Commitment

