STOANE
LIGHTING

# Iris Very Narrow

STD-000070-0014

## Configured Product

CCT

2700K

Finish

Anodised Clear

Attachments

Straight Snoot

Mounting Method


Retaining Ring

STOANE
LIGHTING

# Iris Very Narrow

STD-000070-0014






Compact adjustable recessed lighting fixture for Museum, Gallery and Retail displays.

**Product Description**
The Very Narrow Iris is an IP66 rated adjustable compact recessed and highly efficient fixture designed to provide precise illumination for Museum, Gallery and Retail applications.
With a dedicated Very Narrow beam angle.

**Key Features**
• Sustainable construction: made from recycled aluminium with a long-lasting anodised finish. Specialist finishes available on request.
• Advanced dimming options: DALI, 0-10V, DMX and Wireless dimming, down to 0.1%.
• High-performance lighting: up to 97 CRI LEDs.

## Compliance

UK CA CE

STOANE LIGHTING

# Iris Very Narrow

STD-000070-0014

## Technical

| | |
|---|---|
| **Supply** | Remote constant current LED driver required |
| **Light source** | SL Star |
| **Initial output** | 2W 2.9Vf at 700mA<br>**80CRI**<br>2200K • 150lm • 71lm/W<br>**90CRI**<br>2400K • 210lm • 105lm/W<br>**95CRI**<br>2700K • 167lm • 82lm/W<br>3000K • 177lm • 87lm/W<br>3500K • 187lm • 92lm/W<br>4000K • 197lm • 97lm/W |
| **Light distribution** | Very Narrow 3.5° |
| **Lumen maintenance** | L70 B50 >66,000 hours |
| **Colour consistency** | 2 SDCM |
| **Colour maintenance** | ± 0.017 Δu'v' |
| **IP rating** | IP66 |
| **Available tilt** | ±25° |
| **Cut out** | Ø64mm |
| **Weight** | 0.33kg |

STOANE
LIGHTING

# Iris Very Narrow

STD-000070-0014

---

## Service Commitment

