

STOANE LIGHTING

EQUIPMENT DESIGN + MANUFACTURE

Bulwark

STD-000076-0014


Configured Product

CCT

2700K

Finish

Brushed stainless steel



Exterior recessed wall light, for enhancing pathways, stairs and decks.

Product Description

The Bulwark is a Marine Grade miniature IP66 rated exterior recessed wall light, designed to provide a low level soft directional light to pathways, stairs and ship decks.

Including glare baffle to avoid upward light spill.

Supplied with install sleeve and snap-on stainless steel bezel. Including an acetal mounting sleeve.

Key Features

- Sustainable construction: made from Stainless Steel, recycled aluminium with a weather resistant long-lasting anodised and powder-coated finish. Specialist finishes available on request.
- Fixed focus optic with soft asymmetric light distribution and glare baffle.
- Advanced dimming options: DALI, 0-10V, DMX and Wireless dimming, down to 0.1%.
- High-performance lighting: up to 97 CRI LEDs.
- First fix acetal installation sleeve

Compliance



Technical

Supply	Remote constant current LED driver required
Light source	SL Type S
Initial output	95 CRI 1.4W 2.75Vf at 500mA
	2700K · 139lm · 99lm/W
	3000K · 148lm · 105lm/W
	3500K · 158lm · 112lm/W
	4000K · 169lm · 120lm/W
Light distribution	Asymmetrical 52.3° x 56.3°
Lumen maintenance	L70 B50 >66,000 hours
Colour consistency	2 SDCM
Colour maintenance	± 0.007 Δu'v'
IP rating	IP66
IK rating	IK10
Weight	0.147kg

Service Commitment

