STOANE
LIGHTING

Bulwark

STD-000076-0015

Configured Product

CCT

3000K

Finish


RAL 9010 Pure White

STOANE
LIGHTING

Bulwark

STD-000076-0015





Exterior recessed wall light, for enhancing pathways, stairs and decks.

Product Description
The Bulwark is a Marine Grade miniature IP66 rated exterior recessed wall light, designed to provide a low level soft directional light to pathways, stairs and ship decks.
Including glare baffle to avoid upward light spill.
Supplied with install sleeve and snap-on stainless steel bezel. Including an acetal mounting sleeve.

Key Features
• Sustainable construction: made from Stainless Steel, recycled aluminium with a weather resistant long-lasting anodised and powder-coated finish. Specialist finishes available on request.
• Fixed focus optic with soft asymmetric light distribution and glare baffle.
• Advanced dimming options: DALI, 0-10V, DMX and Wireless dimming, down to 0.1%.
• High-performance lighting: up to 97 CRI LEDs.
• First fix acetal installation sleeve

Compliance

UK CA CE

STOANE LIGHTING

Bulwark

STD-000076-0015

Technical

Supply	Remote constant current LED driver required
Light source	SL Type S
Initial output	1.4W 2.8Vf at 500mA **80 CRI** 2200K • 116lm • 77lm/W **90 CRI** 2400K • 157m • 115lm/W **95 CRI** 2700K • 125lm • 88lm/W 3000K • 133lm • 94lm/W 3500K • 140lm • 99lm/W 4000K • 148lm • 104lm/W
Light distribution	Asymmetrical 35.6° x 33.1°
Lumen maintenance	L70 B50 >66,000 hours
Colour consistency	2 SDCM
Colour maintenance	± 0.007 Δu'v'
IP rating	IP66
IK rating	IK10
Weight	0.147kg

STOANE
LIGHTING

Bulwark

STD-000076-0015

Service Commitment



