STOANE
LIGHTING

# Pipien

STD-000146-0043

## Configured Product

CCT

3000K

Beam

Medium2 18.5°

Finish

Custom Painted

Attachments

Slash Cut Snoot (specified separately)

Cable Length

500mm

STOANE LIGHTING

# Pipien

STD-000146-0043




Award winning miniature exterior spotlight system, for surface mounting to illuminate exterior architectural details and landscape illumination. Read Pipien's professional review here.

**Product Description**

The Pipien is a miniature IP66 exterior rated, adjustable and lockable spotlight. Constructed from precision-machined recycled aluminium, the spotlight features an anodised and powder-coated finish for enhanced durability and aesthetics.

**Key Features**

• Sustainable construction: made from recycled aluminium with a weather resistant long-lasting anodised and powder-coated finish. Specialist finishes available on request.
• Fixed optics can be easily swapped from Very Narrow to Flood to elliptical beam options
• Snoot and Cowl options available.
• Spike mounted and tree strap options available.
• Advanced dimming options: DALI, 0-10V, DMX and Wireless dimming, down to 0.1%.
• High-performance lighting: up to 98 CRI LEDs with interchangeable optical systems.

STOANE
LIGHTING

# Pipien

STD-000146-0043

## Compliance

STOANE LIGHTING

# Pipien

STD-000146-0043

## Technical

| | |
|---|---|
| **Supply** | Remote constant current LED driver required |
| **Light source** | SL Type S |
| **Initial output** | 1.4W 2.8Vf at 500mA<br><br>**80CRI**<br>2200K • 116lm • 77lm/W<br>**90CRI**<br>2400K • 157lm • 115lm/W<br>**95CRI**<br>2700K • 125lm • 82lm/W<br>3000K • 133lm • 94lm/W<br>3500K • 140lm • 99lm/W<br>4000K • 148lm • 104lm/W |
| **Light distribution** | Medium 18.5°<br>Flood 36.7°<br>Wide Flood 54.1°<br>Elliptical 17.1° x 34.5° |
| **Lumen maintenance** | L70 B50 >66,000 hours |
| **Colour consistency** | 2 SDCM |
| **Colour maintenance** | ± 0.007 Δu'v' |
| **IP rating** | IP66 |
| **Weight** | 0.075kg |

STOANE
LIGHTING

# Pipien

STD-000146-0043

---

## Service Commitment