STOANE LIGHTING

EQUIPMENT DESIGN + MANUFACTURE

ZTA.50.Mains Track.Wall Wash STD-000257-0007

Modular high-performance, mains track-mounted spotlight system, for interior architectural applications such as Museums, Galleries, Retail and Workplace environments.

Engineered for exceptional durability, maintainability, remanufacturability, and recyclability, this spotlight sets a new standard for sustainable design.


Product Description

ZTA.50.Mains Track.Wall Wash is constructed from extruded and precision-machined recycled aluminium, the spotlight features an anodised and powder-coated finish for enhanced durability and aesthetics. Easily interchangeable between fixed optic, Zoom and Framing projector options.

Key Features

- · Sustainable construction: made from recycled aluminium with a long-lasting anodised and powdercoated finish. Specialist finishes available on request.
- Wall Wash optics can be easily swapped to Fixed, Zoom and additional framer attachments.
- Versatile adjustment: 363° pan rotation and 130° tilt with a lockable spot.
- Broad compatibility: 3-circuit adapter supports multiple track systems (Stucchi, Eutrac, Global Pulse).
- · Advanced dimming options: Onboard, DALI, 0-10V, and Wireless dimming, down to 0.1%.
- High-performance lighting: up to 98 CRI LEDs with interchangeable optical systems.
- · Customisable accessories: can





STOANE LIGHTING

EQUIPMENT DESIGN + MANUFACTURE

ZTA.50.Mains Track.Wall Wash STD-000257-0007

house up to two lens accessory and various attachments.

· Ceiling mounting only: designed exclusively for ceiling installations.

STOANE LIGHTING

EQUIPMENT DESIGN + MANUFACTURE

ZTA.50.Mains Track.Wall Wash STD-000257-0007

Configured Product Light source 9mm LES CCT Tuneable White sources available. Please contact us for more information. 2700K **CRI** 90 Finish Please contact us for custom finishing requirements Matt Black Track adaptor colour White Dimming Local Dim **Attachments** None Secondary Lensing Accessories Without accessories