#### STOANE LIGHTING

**EQUIPMENT DESIGN + MANUFACTURE** 

## ZTA.50.Mains Track.Framer STD-000508-0072

Modular high-performance, mains track-mounted spotlight system, for interior architectural applications such as Museums, Galleries and Retail. Engineered for exceptional durability, maintainability, remanufacturability, and recyclability, this spotlight sets a new standard for sustainable design.

#### **Product Description**


ZTA.50.Mains Track is constructed from extruded and precision-machined recycled aluminium, the spotlight features an anodised and powder-coated finish for enhanced durability and aesthetics. Easily interchangeable between Framing projector, fixed optic, Wall Wash and Zoom options.


Fixed uses a Wide Flood spread for long throws. Adjustable uses a Zoom lens to allow the user to narrow in on very fine details. Both are capable of holding a gobo.

#### **Key Features**

- Sustainable construction: made from recycled aluminium with a long-lasting anodised and powdercoated finish.
- Framing attachment can be easily swapped to fixed optics, Zoom and Wall Wash.
- The easy-to-adjust fins allow for precision positioning to sharply define light on pieces of artwork.
- Versatile Adjustment: 363° pan rotation and 130° tilt with a lockable spot.
- · Broad compatibility: 3-circuit adapter supports multiple track systems (Stucchi, Eutrac, Global Pulse).







### STOANE LIGHTING

EQUIPMENT DESIGN + MANUFACTURE

## ZTA.50.Mains Track.Framer STD-000508-0072

- Advanced dimming options: Onboard, DALI, 0-10V, and Wireless dimming, down to 0.1%.
- High-performance lighting: Up to 98 CRI LEDs with interchangeable optical systems.
- · Ceiling mounting only: Designed exclusively for ceiling installations.

### STOANE LIGHTING

EQUIPMENT DESIGN + MANUFACTURE

# ZTA.50.Mains Track.Framer STD-000508-0072

| Configured Product           |
|------------------------------|
| Light source                 |
| 9mm LES                      |
| ССТ                          |
| 3000K                        |
| CRI                          |
| 90                           |
| Finish                       |
| Matt Black                   |
| Track adaptor colour         |
| White                        |
| Dimming                      |
| Local Dim                    |
| Softening Diffuser/Accessory |
| Yes                          |
| Framer type                  |
| Adjustable Beam              |
|                              |